

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		MRI same resin same and current and (micro near amp micro-amp microamp)	US-PGPUB; USPAT	OR	ON	2008/10/23 10:53
		tracking with sensor and volume with (range proximity distance) and "600.clas."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 13:28
		tracking with sensor and volume with (range proximity distance) and "600.ccls."	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 13:27
		gradient near coil and current near flow same S11 near (amp\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:56
		gradient near coil and current near flow same S11 near (amps "A" "I")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:55
		gradient near coil current near flow same S11 near (amps "A" "I")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:55
		gradient near coil current near flow same S11 near (amps A I)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:55
		gradient near coil and (conduct\$3 particle) same (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:17
		gradient near coil and particle same (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:11
		gradient near coil and S11 same mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:09
		gradient near coil and S11 near mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:08

		gradient near coil and S11. mu.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:08
		gradient near coil and S11 near .mu.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:08
		gradient near coil and particles and S11 .mu.m.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/10 18:09
S1	70	(MR MRI) and gradient near tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:36
S2	56	(MR MRI) and gradient near tube and conduct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/20 15:04
S3	1	gradient near coil same tube and second with coil and conductive near compound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 15:38
S4	105	gradient near coil same tube and second with coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:43
S5	6	gradient near coil and inner near tube and outer near tube and (conductor conducting conductive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:57
S6	147	(US-20040149645-\$ or US- 20040105584-\$ or US- 20060018561-\$).did. or (US-5763026-\$ or US- 6475753-\$ or US-6464459- \$ or US-5331134-\$ or US- 4879528-\$ or US-6436703- \$ or US-6448270-\$ or US- 6440933-\$ or US-6416960- \$ or US-5262949-\$ or US- 5265743-\$ or US-5383090- \$ or US-5870958-\$ or US- 5240638-\$ or US-5910826- \$ or US-6186771-\$ or US- 6239336-\$ or US-6399557- \$ or US-4756635-\$ or US- 5433808-\$ or US-5500264- \$ or US-6058803-\$ or US- 6079294-\$ or US-6145184- \$ or US-6179530-\$ or US- 6195894-\$).did. or (US- 6224160-\$ or US-6227070-	US-PGPUB; USPAT	OR	OFF	2006/12/21 13:55

\$ or US-6312364-\$ or US-6112435-\$ or US-6358190-\$ or US-6436018-\$ or US-5713309-\$ or US-6102941-\$ or US-5612497-\$ or US-6360126-\$ or US-6387696-\$ or US-5557981-\$ or US-6053942-\$ or US-6182668-\$ or US-6362009-\$ or US-6193726-\$ or US-6197050-\$ or US-4973985-\$ or US-5000643-\$ or US-5024572-\$ or US-5504304-\$ or US-5874707-\$ or US-6114839-\$ or US-5647644-\$ or US-5025625-\$ or US-5830780-\$ or US-4567859-\$.did. or (US-4936342-\$ or US-5360219-\$ or US-5401035-\$ or US-5460438-\$ or US-5501053-\$ or US-6272479-\$ or US-5578483-\$ or US-6141885-\$ or US-6188975-\$ or US-6414011-\$ or US-4392914-\$ or US-4400707-\$ or US-4509610-\$ or US-4531825-\$ or US-4562377-\$ or US-4588140-\$ or US-4764067-\$ or US-4782681-\$ or US-4782688-\$ or US-4784332-\$ or US-4787506-\$ or US-4876894-\$ or US-4888993-\$ or US-4899731-\$ or US-4900248-\$ or US-4938729-\$ or US-4953833-\$.did. or (US-4958823-\$ or US-4970952-\$ or US-4986866-\$ or US-5197538-\$ or US-6421613-\$ or US-6353477-\$ or US-6196531-\$ or US-5261752-\$ or US-5277527-\$ or US-5357716-\$ or US-5364158-\$ or US-5395128-\$ or US-5511796-\$ or US-5526462-\$ or US-5548672-\$ or US-5560721-\$ or US-5575485-\$ or US-5881957-\$ or US-4784574-\$ or US-5591042-\$ or US-5674181-\$ or US-5743479-\$ or US-5785140-\$ or US-5792229-\$ or US-5957489-\$ or US-6043490-\$ or US-6099572-\$.did. or (US-6116288-\$ or US-4512052-\$ or US-4519133-\$ or US-6199302-\$ or US-6226873-

		\$ or US-6336991-\$ or US-4510464-\$ or US-4775198-\$ or US-5002386-\$ or US-5201698-\$ or US-5233678-\$ or US-5248390-\$ or US-4787897-\$ or US-4843877-\$ or US-5442392-\$ or US-5622524-\$ or US-6039154-\$ or US-6061930-\$ or US-6151718-\$ or US-6292830-\$ or US-6061356-\$ or US-5462802-\$ or US-6158721-\$ or US-4342282-\$ or US-5259355-\$ or US-4441636-\$ or US-4623034-\$.did. or (US-4762352-\$ or US-5407213-\$ or US-5477773-\$ or US-5771676-\$ or US-5786549-\$ or US-6122470-\$ or US-6123637-\$ or US-5856773-\$ or US-4490113-\$ or US-4548582-\$.did.				
S7	46	S6 and (resin epoxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:55
S8	444	gradient near coil and (epoxy resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:57
S9	328	gradient near coil and (epoxy resin) and (conductor conductive conducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 13:58
S10	148	gradient near coil and (epoxy resin) same (conductor conductive conducting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:30
S11	2	gradient near coil and (epoxy resin) same (conductor conductive conducting) and chemical near harden\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:31
S12	4	gradient near coil and (epoxy resin) same (conductor conductive conducting) same hardener	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:42
S13	4	gradient near coil and (epoxy resin) same (conductor conductive conducting) same bisphenol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:44

S14	5	gradient near coil and (epoxy resin) same bisphenol	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 14:51
S15	12	gradient near coil and polyester near resin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 15:37
S16	0	gradient near coil and S11 and mu	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:09
S17	2	gradient near coil and S11 ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:10
S18	3078	gradient near coil and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:10
S19	0	gradient near coil and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) and ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/12/21 16:10
S20	306	gradient near coil and particle and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:12
S21	2544	gradient near coil and (conduct\$3 particle) and (S3 S4 S5 S6 S7 S8 S9 S10 "9" S11) ".mu.m"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:13
S22	57	gradient near coil and (conduct\$3) and particle near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:21
S23	11	gradient near coil and (conduct\$3) same particle near size	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:36
S24	353	gradient near coil and (conduct\$3) same current near flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:39
S25	750	gradient near coil and (conduct\$3) and current near flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:40
S26	353	gradient near coil and (conduct\$3) same current near flow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 11:44

S27	121	gradient near coil and (conduct\$3) same current near flow and heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:44
S28	34	gradient near coil and (conduct\$3) same current near flow same heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:54
S29	0	gradient near coil and current near flow same "10" near (amp\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 16:56
S30	12	gradient near coil and current same "10" near (amp\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 17:00
S31	12	gradient near coil and current same "10" near (amp\$2 micro)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/21 17:00
S32	34	gradient near coil and (conduct\$3) same current near flow same heat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 11:55
S33	0	gradient near coil and current near flow same heat same limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 11:55
S34	0	gradient near coil and current with flow same heat same limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 11:56
S35	1	gradient near coil and current with flow same limit and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 12:01
S36	32	(compound coating) same limit same current with flow same limit and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 12:05
S37	8	(compound coating) same limit with current with flow and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 16:00
S38	24	(compound coating) with limit with current and quench	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/12/28 16:00
S39	2	("6147844").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:38

S40	37	gradient near coil and (coating compound) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:41
S41	51	gradient near coil and (laminate coating compound) same current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/03 09:41
S42	2	("6973711").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:15
S43	685	(600/422).OCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:15
S44	518	600/422	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:16
S45	2187	600/421 600/410	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:16
S46	41	Sellers.in. and MRI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/01/04 19:17
S47	81	sellers.in. and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/01 15:28
S48	9	sellers.in. and gradient near tube	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/01 15:29
S49	17	sellers.in. and gradient and coil and (glue epoxy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/01 15:33
S50	1	gradient and coil same epoxy same particle same microamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:34
S51	1	gradient and coil same epoxy and particle same microamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:34
S52	1	coil same epoxy and particle same microamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:35

S53	1	coil same glue and particle same microamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:35
S54	1	coil and glue and particle same microamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:35
S55	54	coil and conductive near compound and glue and epoxy	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:37
S56	2	"5414399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:38
S57	23615	epoxy and conduct\$3 with particles	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:38
S58	2696	epoxy and conduct\$3 with particles and coil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:39
S59	70	epoxy and conduct\$3 with particles and coil and MRI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:39
S60	1	epoxy and conduct\$3 with particles and coil and MRI and microamp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:39
S61	62	epoxy and conduct\$3 with particles and coil and MRI and current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:39
S62	61	epoxy and conduct\$3 with particles and coil and MRI and current and diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:44
S63	71	coil and (film coat\$3) same conduct\$3 with particles and coil and MRI and current and diameter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:45
S64	44	coil and (film coat\$3) same conduct\$3 with particles and coil and MRI and current and diameter and gradient	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/01 15:45

S65	16	"5414399"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/10 18:10
S66	35	("2777099" "3018422" "3223897" "3417356" "3924211" "4093912" "4122386" "4445102" "4498048" "4656449" "4672346" "4766378" "4980641" "5095271" "5144241" "5153546" "5166619" "5207224"). PN. OR ("5414399").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/10/10 18:10
S67	33	(US-20050134274-\$ or US- 20030094949-\$ or US- 20030206017-\$ or US- 20040147832-\$ or US- 20040155656-\$ or US- 20050258923-\$ or US- 20060054810-\$ or US- 20050001621-\$ or US- 20040225213-\$ or US- 20060118319-\$ or US- 20050030028-\$ or US- 20050046422-\$ or US- 20020121956-\$ or US- 20060267715-\$ or US- 20020196020-\$ or US- 20070065677-\$).did. or (US-6812705-\$ or US- 6583621-\$ or US-6973711- \$ or US-5235283-\$ or US- 5530355-\$ or US-5061897- \$ or US-5680086-\$ or US- 6642717-\$ or US-6501275- \$ or US-6147844-\$ or US- 4271448-\$ or US-5414399- \$ or US-4980641-\$ or US- 5555251-\$ or US-5095271- \$ or US-6586936-\$ or US- 5166619-\$).did.	US-PGPUB; USPAT	OR	OFF	2007/10/10 18:12
S68	24	S67 and layer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/10 18:13
S69	16	S67 and layer and conductive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/10 18:13
S70	5	S67 and layer and conductive same particle	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/10 18:13

S71	570	tracking with sensor and volume with (range proximity distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 13:27
S72	0	tracking with sensor and volume with (range proximity distance) and "600.ccls"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 13:27
S73	96	tracking with sensor and volume with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 13:30
S74	96	tracking with sensor and volume with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:05
S75	129	tracking with sensor and (volume field near view fov) with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:06
S76	15152	tracking with sensor and (adjust focus alter scale change) (volume field near view fov) with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:06
S77	8	tracking with sensor and (adjust focus alter scale change) with (volume field near view fov) with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:09
S78	0	track3 with (sensor probe coil) and (adjust focus alter scale change) with (volume field near view fov) with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:08
S79	23	track\$3 with (probe coil catheter sensor) and (adjust focus alter scale change) with (volume field near view fov) with (range proximity distance) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:15
S80	2812	track\$3 with (probe coil catheter sensor) and (adjust focus alter scale change adaptive) with (volume field near view fov)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:16

S81	252	track\$3 with (probe coil catheter sensor) and (adaptive) with (volume field near view fov)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:16
S82	14	track\$3 with (probe coil catheter sensor) and (adaptive) with (volume field near view fov) and "600".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2007/10/12 14:16
S83	2	"20020045812"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2007/10/12 14:49
S84	2	("11218671").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/28 10:14
S85	2	("4766378").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/10 21:05
S86	127	SELLERS.in. and conductive	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 05:50
S87	22	SELLERS.in. and conductive and mri	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 05:50
S88	4	SELLERS.in. and conductive and mri and particle	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 05:51
S89	15	("20030050527" "4733189" "4840700" "5126672" "5378989" "5442290" "5886548" "5990680" "6042711" "6160399" "6433549" "6500349" "6569543" "6616976").PN. OR ("6972567").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 05:54

S90	2	S89 and volume and discharg\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 05:54
S91	3	("20050168222" "6972567" "6992483"). PN. OR ("7190170").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/10/22 05:56
S92	4	("2005/0168222").URPN.	USPAT	OR	ON	2008/10/22 05:57
S93	44	(US-20040147832-\$ or US- 20060118319-\$ or US- 20030206017-\$ or US- 20030094949-\$ or US- 20050134274-\$ or US- 20050001621-\$ or US- 20050054913-\$ or US- 20040155656-\$ or US- 20050258923-\$ or US- 20060054810-\$ or US- 20050046422-\$ or US- 20050030028-\$ or US- 20040225213-\$ or US- 20060267715-\$ or US- 20020196020-\$ or US- 20020121956-\$ or US- 20070065677-\$ or US- 20060173277-\$ or US- 20060247521-\$ or US- 20020045812-\$ or US- 20050156596-\$).did. or (US-5680086-\$ or US- 6147844-\$ or US-5555251- \$ or US-5166619-\$ or US- 5095271-\$ or US-4980641- \$ or US-6586936-\$ or US- 6583621-\$ or US-6973711- \$ or US-5235283-\$ or US- 6642717-\$ or US-4271448- \$ or US-5414399-\$ or US- 6501275-\$ or US-5061897- \$ or US-6812705-\$ or US- 5530355-\$ or US-4646754- \$ or US-5800344-\$ or US- 4766378-\$ or US-6972567- \$ or US-7190170-\$ or US- 7140420-\$).did.	US-PGPUB; USPAT	OR	ON	2008/10/22 06:06
S94	0	S93 and dischage and (microamp micro-amp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 06:07

S95	0	S93 and dischage and (microamp micro near ammp micro-amp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 06:07
S96	0	S93 and dischage and (microamp micro near amp micro-amp)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/22 06:07
S97	44	(US-20040147832-\$ or US-20060118319-\$ or US-20030206017-\$ or US-20030094949-\$ or US-20050134274-\$ or US-20050001621-\$ or US-20050054913-\$ or US-20040155656-\$ or US-20050258923-\$ or US-20060054810-\$ or US-20050046422-\$ or US-20050030028-\$ or US-20040225213-\$ or US-20060267715-\$ or US-20020196020-\$ or US-20020121956-\$ or US-20070065677-\$ or US-20060173277-\$ or US-20060247521-\$ or US-20020045812-\$ or US-20050156596-\$).did. or (US-5680086-\$ or US-6147844-\$ or US-5555251-\$ or US-5166619-\$ or US-5095271-\$ or US-4980641-\$ or US-6586936-\$ or US-6583621-\$ or US-6973711-\$ or US-5235283-\$ or US-6642717-\$ or US-4271448-\$ or US-5414399-\$ or US-6501275-\$ or US-5061897-\$ or US-6812705-\$ or US-5530355-\$ or US-4646754-\$ or US-5800344-\$ or US-4766378-\$ or US-6972567-\$ or US-7190170-\$ or US-7140420-\$).did.	US-PGPUB; USPAT	OR	ON	2008/10/23 10:17
S98	41	S97 and current	US-PGPUB; USPAT	OR	ON	2008/10/23 10:18
S99	10	S97 and current and harden\$3	US-PGPUB; USPAT	OR	ON	2008/10/23 10:18
S100	20	S97 and current with (reduc\$3 limit\$3)	US-PGPUB; USPAT	OR	ON	2008/10/23 10:46

S101	1	MRI same resin same epoxy and current and (micro near amp micro-amp microamp)	US-PGPUB; USPAT	OR	ON	2008/10/23 10:53
S102	12	(coil MRI) same resin same current and (micro near amp micro-amp microamp)	US-PGPUB; USPAT	OR	ON	2008/10/23 10:54
S103	13	(coil MRI magnet) same resin same current and (micro near amp micro-amp microamp)	US-PGPUB; USPAT	OR	ON	2008/10/23 11:01
S104	4	S97 and volume with (percent\$3)	US-PGPUB; USPAT	OR	ON	2008/10/23 11:15
S105	4	S97 and volume with (percent\$3 fraction)	US-PGPUB; USPAT	OR	ON	2008/10/23 11:17
S106	90	(coil MRI magnet) same resin same current and (volume) with (percent\$3 fraction)	US-PGPUB; USPAT	OR	ON	2008/10/23 11:22
S107	35	(coil MRI magnet) same resin same current and (particle) same (volume) with (percent\$3 fraction)	US-PGPUB; USPAT	OR	ON	2008/10/23 11:23
S108	7	S97 and polyester	US-PGPUB; USPAT	OR	ON	2008/10/23 12:13
S109	1	("20080243264").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/10/23 15:29

4/ 10/ 2009 7:39:00 AM

C:\ Documents and Settings\eweatherby\ My Documents\ EAST\ Workspaces\ 10707907.wsp